| | Search Torms |
|----------|--|
| — | MEAN |
| 7 | MEANS |
| 8 | MEDIAN |
| 4 | MEDIANS |
| S | PHASE |
| 9 | PHASES |
| 7 | POWER |
| æ | POWERS |
| 6 | УSdÒ |
| 10 | SXSAO |
| 11 | QUADRATURE |
| 12 | QUADRATURES |
| 13 | (MEDIAN SAME (QPSK OR (QUADRATURE SAME PHASE)) SAME MEAN SAME POWER) |
| | |

| | Total | US-PGPUB | USPAT | USOCR | EPO | ЭРО | Derwent | Derwent IBM TDB |
|--------------|---------|----------|-------|-------|-----|-----|---------|-----------------|
| 1 | 708990 | | | | | | | |
| 2 | 1809 | | | | | | | |
| _ا | 85322 | | | | | | | |
| 4 | 1352 | | | | | | | |
| 2 | 1805173 | | | | | | | |
| 9 | 365073 | | | | | • | | |
| 7 | 3418858 | | | | | | | |
| æ | 107555 | | | | | | | |
| 6 | 10795 | | | | | | | |
| 10 | 0 | | | | | | | |
| 11 | 69128 | | | | | | | |
| 12 | 144 | | | | | | | |
| 13 | 9 | | | | | | | |
| | | | | | | | | |

| | > | - | Document ID | Issue Date | Pages | Title | Current OR |
|---|----|---|-------------------|------------|-------|---|------------|
| ᆏ | × | | US 20040093178 A1 | 20040513 | 10 | Method and apparatus for determining signal-to- interference ratio with reduced bias effect | 702/69 |
| 7 | ×_ | | US 20040092281 A1 | 20040513 | | Spectrum-adaptive networking | 455/522 |
| ო | × | | WO 2004045085 A2 | 20040527 | NA | METHOD AND APPARATUS FOR DETERMINING SIGNAL-TO-INTERFERENCE RATIO WITH REDUCED BIAS EFFECT | |
| 4 | × | | US 3467844 A | 19690916 | | BRUSHLESS AXIAL AIRGAP INDUCTOR-TYPE DYNAMOELECTRIC MACHINES AND SYNCHRO SYSTEMS USING THE SAME | 310/168 |
| ъ | × | | US 2832934 A | 19580429 | | Automatic matching transformer | 333/17.1 |
| 9 | × | | US 2494795 A | 19500117 | | Frequency-detector and frequency-control circuits | 329/323 |

| | Current XRef | Retrieval Classif | Inventor | S | C | ۵ | 2 | 3 | 4 | 2 | Image Doc. Displayed | PT |
|----|---|-------------------|------------------------|---|---|---|---|---|--------------|---------|-------------------------|----|
| - | | | Shin, Sung-Hyuk et al. | | | | | | | <u></u> | JS 20040093178 | |
| 2 | 455/446; 455/448 | | Burchfiel, Jerry D. | | | | | | | | | |
| m | | | SHIN, SUNG-HYUK et al. | | | | | - | | | | |
| 4 | 310/111; 310/114; 310/154.01; 310/184; 310/254; 310/256; | · | BIRD WILLIAM GEORGE | | | | | | | | | |
| S | 318/669; 333/17.3; 333/248; 333/32 | | WALTERS GLENN A | | | | | | | | | |
| 9_ | 331/177R; 331/74 | | BRADLEY WILLIAM E | | | | | ! | | | | |

| | Search Terms |
|----|---|
| 1 | AVERAGE |
| 7 | AVERAGES |
| ٣ | 81T |
| 4 | BITS |
| 2 | BYTE |
| 9 | BYTES |
| 7 | INTERFERENCE |
| æ | INTERFERENCES |
| 6 | MEAN |
| 10 | MEANS |
| 11 | MEDIAN |
| 12 | MEDIANS |
| 13 | POWER |
| 14 | POWERS |
| 15 | SIGNAL |
| 16 | SIGNALS |
| 17 | SIR |
| 18 | SIRS |
| 19 | SYMBOL |
| 20 | SYMBOLS |
| 21 | (((MEDIAN SAME MEAN SAME AVERAGE) SAME (BYTES OR SYMBOL OR BITS) SAME POWER) AND (SIR OR (INTERFERENCE SAME SIGNAL))) |
| | |

| Total | US-PGPUB | USPAT | USOCR | EPO | JPO | Derwent | IBM TDB |
|---------|----------|-------|-------|-----|-----|---------|---------|
| 1121349 | | | | | | | |
| | | | | | | | |
| 659279 | | | | | | | |
| 10 | | | | | | | |
| 96289 | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 0 | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 3418858 | | | | | | | |
| 2 | | | | | | | |
| 61 | | | | | | | |
| 1940874 | | | | | | | |
| 40369 | | | | | | | |
| 1765 | | | | | | | |
| 210102 | | | | | | | |
| 228317 | | | | | | | |
| | | | | | | | |

| | n | - | Document ID | Issue Date | Pages | Title | Current OR | |
|-----|----------|---|-------------------|------------|-------|---|------------|--|
| н | <u>×</u> | | US 20040093178 A1 | 20040513 | 10 | Method and apparatus for determining signal-to- interference ratio with reduced bias effect | 702/69 | |
| _ 7 | × | | US 20040093178 A | 20040513 | 10 | Signal-to-interference ratio determining method for third generation wireless system, involves estimating average signal power of demodulated symbol output from data demodulator | | |

| Image Doc. pT Displayed | | US 20040093178 |
|----------------------------|----------------------|---------------------------|
| 5 Imag | | US 20040 |
| 4 | | |
| 3 | | |
| <u> </u> | | |
| v | | |
| S | | |
| Inventor | Chin Cina-Hank of al | Jilli, Julig-Liyan et al. |
| Retrieval Classif | | |
| Current XRef | | |
| | - | |

| | Search Terms |
|----|--|
| 1 | INTERFERENCE |
| 2 | INTERFERENCES |
| 3 | SHIN-SUNG-HYUK |
| 4 | SHIN-SUNG-HYUKS |
| 5 | SIGNAL |
| 6 | SIGNALS |
| 7 | SIR |
| 8 | SIRS |
| 9 | ZEIRA-ARIELA |
| 10 | ZEIRA-ARIELAS |
| 11 | (((SHIN-SUNG-HYUK.IN.) OR (ZEIRA-ARIELA.IN.)) AND (SIR OR (INTERFERENCE SAME SIGNAL))) |

| | Total | US-PGPUB | USPAT | USOCR | EPO | JPO |
|----|---------|----------|-------|-------|-----|-----|
| 1 | 540510 | | | | | |
| 2 | 17686 | | | | | |
| 3 | 64 | | | | | |
| 4 | 0 | | | | | |
| 5 | 3728161 | | | | | |
| 6 | 1940874 | | | | | |
| 7 | 40369 | | | | | |
| 8 | 1765 | | | | | |
| 9 | 147 | | | | | |
| 10 | 0 | | | | | |
| 11 | 75 | | | | | |

| | Derwent | IBM TDB |
|-------------|---------|---------|
| 1 | | |
| 3 | | |
| | | |
| 4 | | |
| 4 5 6 | | |
| 6 | | |
| 7 | | ٠ |
| 8 | | |
| 9 | | |
| 10 | | |
| 11 | | |

| | כ | - | Document ID | Issue Date | Pages | Title | Current OR |
|----|----------|---|-------------------|------------|-------|---|------------|
| Ħ | ×_ | | US 20040223538 A1 | 20041111 | 10 | Multi user detection using equalization and successive 375/148 interference cancellation | 375/148 |
| 7 | _×_ | | US 20040219943 A1 | 20041104 | | Uplink power control using received reference signal | 455/522 |
| 3 | _×_ | | US 20040214593 A1 | 20041028 | | Power control during a transmission pause | 455/522 |
| 4 | Х | | US 20040202151 A1 | 20041014 | 7 | Multiuser detection of differing data rate signals | 370/352 |
| 2 | _×_ | | US 20040196890 A1 | 20041007 | | User equipment using combined closed loop/open loop power control | 375/130 |
| 9 | × | | US 20040170132 A1 | 20040902 | | Path loss measurements in wireless communications | 370/294 |
| | × | | US 20040165567 A1 | 20040826 | | Multiuser detector for variable spreading factors | 370/342 |
| 8 | ×. | | US 20040157636 A1 | 20040812 | | Method and system for adjusting downlink outer loop power to control target SIR | 455/522 |
| | _×_ | | US 20040141565 A1 | 20040722 | | Groupwise successive interference cancellation for block transmission with reception diversity | 375/267 |
| 10 | × | | US 20040141483 A1 | 20040722 | | Outer loop/weighted open loop power control | 370/335 |
| 11 | _×_ | | US 20040141482 A1 | 20040722 | | Assigning uplink slots to optimize uplink power control 370/335 gain in wireless communications | 370/335 |
| 12 | × | | US 20040141480 A1 | 20040722 | | Adaptive algorithm for a cholesky approximation | 370/329 |
| 13 | × | | US 20040141467 A1 | 20040722 | | Weighted open loop power control | 370/252 |
| 14 | X | | US 20040131010 A1 | 20040708 | | Extended algorithm data estimator | 370/210 |
| 15 | × | | US 20040121794 A1 | 20040624 | | Method and system for adjusting downlink outer loop power to control target SIR | 455/522 |
| 16 | _×_ | | US 20040116122 A1 | 20040617 | | Enhancing reception using intercellular interference cancellation | 455/445 |
| 17 | × | | US 20040106426 A1 | 20040603 | | Bias error compensated initial transmission power control for data services | 455/522 |
| 18 | × | | US 20040093178 A1 | 20040513 | : | Method and apparatus for determining signal-to- interference ratio with reduced bias effect | 702/69 |
| 61 | _×_ | | US 20040063453 A1 | 20040401 | | Outer loop transmit power control using channel- adaptive processing | 455/522 |

| | Current XRef | Retrieval Classif | Inventor | S | ပ | ۵ | 7 | m | 4 | r. | Image Doc. Displayed | PT |
|----------|---------------------------------|-------------------|--------------------------|---|---|---|---|---|---|----|-------------------------|----|
| - | | : | Zeira, Ariela | | | | | | | | US 20040223538 | |
| 7 | 455/69 | | Terry, Stephen E. et al. | | | | | | | | | |
| ဗ | 455/68; 455/69 | | Shin, Sung-Hyuk et al. | | | | | - | | | | |
| 4 | | | Reznik, Alexander et al. | | | | | | | | US 20040202151 | |
| N. | | | Zeira, Ariela et al. | | | | | | | | | |
| 9 | | | Shin, Sung-Hyuk et al. | | | | | | | | | |
| 2 | | | Kim, Younglok et al. | | | | | | | | | |
| ∞ | 455/115.1; 455/67.11 | | Koo, Chang-Soo et al. | | | | - | | | | | |
| 6 | 375/343; 375/347; 375/350 | | Kwak, Jaeyoung et al. | | | | | | | | | |
| 9 | 370/342 | | Zeira, Ariela et al. | | | | | | | | | |
| 11 | 370/342 | | Zeira, Eldad et al. | | | | | | | | | |
| 12 | 370/341 | | Kim, Younglok et al. | | | | | | | | | |
| 13 | | | Zeira, Ariela et al. | | | | | | | | | |
| 14 | | | Pan, Jung-Lin et al. | | | | | | | | | |
| 15 | | | Koo, Chang-Soo et al. | | | | | | | | | |
| 16 | 455/423; 455/425 | | Zeira, Eldad et al. | | | | | | | | | |
| 17 | 455/69 | | Koo, Chang-Soo et al. | | | | | | | | | |
| 18 | | | Shin, Sung-Hyuk et al. | | | | | | | | | |
| 19 | 455/69 | : | Koo, Chang-Soo et al. | | | | | | | | | |

| | ם | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|------------|-----|---|-------------------|------------|-------|---|------------|
| 20 | × | | US 20040022230 A1 | 20040205 | | User equipment employing a time division duplex technique | 370/347 |
| 21 | × | | US 20040005903 A1 | 20040108 | | Method and apparatus for providing biasing criteria for binary decisions for use in wireless communications to enhance protection | 455/513 |
| 77 | × | | US 20030223398 A1 | 20031204 | | Method and apparatus for blind code detection | 370/342 |
| 23 | _×_ | | US 20030198279 A1 | 20031023 | | Combined closed loop/open loop power control in a time division duplex communication system | 375/130 |
| 24 | ×_ | | US 20030193916 A1 | 20031016 | | User equipment utilizing weighted open loop power control | 370/335 |
| 25 | _×_ | | US 20030086394 A1 | 20030508 | | Time division duplex method for determining whether to initiate handover criteria | 370/331 |
| 5 6 | _× | | US 20030086380 A1 | 20030508 | | Method and apparatus for interference signal code power and noise variance estimation | 370/280 |
| 27 | × | | US 20030068984 A1 | 20030410 | | Pathloss aided closed loop power control | 455/69 |
| 28 | ×. | | US 20030054849 A1 | 20030320 | | Outer loop transmit power control using channel- adaptive processing | 455/522 |
| 29 | × | | US 20030035394 A1 | 20030220 | | Dynamic link adaption for time division duplex (TDD) 370/335 | 370/335 |
| 30 | × | | US 20030031145 A1 | 20030213 | | Dynamic link adaption for time division duplex (TDD) | 370/335 |
| 31 | | | US 20030021249 A1 | 20030130 | | Multiuser detector for variable spreading factors | 370/335 |
| 32 | × | | US 20030016641 A1 | 20030123 | | Channel quality measurements for downlink resource allocation | 370/335 |
| 33 | ×. | | US 20020176392 A1 | 20021128 | | Multiuser detector for variable spreading factors | 370/342 |
| 34 | × | | US 20020168996 A1 | 20021114 | | Common control channel uplink power control for adaptive modulation and coding techniques | 455/522 |
| 35 | × | | US 20020168995 A1 | 20021114 | | Common control channel uplink power control for adaptive modulation and coding techniques | 455/522 |

| | n | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|-----|-----|---|---------------|------------|-------|---|------------|
| 4 | _×_ | | WO 3025513 A2 | 20030327 | | METHOD AND APPARATUS FOR INTERFERENCE SIGNAL CODE POWER AND NOISE VARIANCE ESTIMATION | |
| LO. | _×_ | | WO 3017544 A1 | 20030227 | | TIME DIVISION DUPLEX METHOD FOR DETERMINING WHETHER TO INITIATE HANDOVER | |

| | Current XRef | Retrieval Classif | Inventor | S | C | Ь | 2 | ю | 4 | r _V | Image Doc. Displayed | 4 |
|----|--------------|-------------------|----------------------|---|---|---|---|---|---|----------------|-------------------------|---|
| 74 | | ٠ | ſΩM, YOUNGLOK et al. | | | | | | | | | |
| 75 | | | ZEIRA, ELDAD et al. | | | : | | | | | | |

Or Access the

IEEE Enterprise File Cabbet

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



| Membership Public | Welcome | |
|---|---|--|
| Help FAQ Terms IEE | E Peer Review Quick Links | nask Office » Adva Help |
| O-What Can I Access? O-Log-out Collegion O-Journals E-Magazines O-Conference Proceedings O-Standards | 1) Enter a single keyword, phrase, or Boolean expression. Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations) 2) Limit your search by using search operators and field codes, if desired. Example: optical <and> (fiber <or> fibre) <in> ti 3) Limit the results by selecting Search Options. 4) Click Search. See Search Examples (average<paragraph>median<paragraph>median<paragraph>mean</paragraph></paragraph></paragraph></in></or></and> | Search Options: Select publication types: IEEE Journals IEEE Conference proceedings IEEE Conference proceedings IEEE Standards Select years to search: |
| O- By Author O- Basic O- Advanced O- CroesRef O- Join IEEE O- Establish IEEE Web Account O- Access the IEEE Nember Digital Library | Start Search Clear Note: This function returns plural and suffixed forms of the keyword(s). Search operators: <and> <or> <not> <in> More Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) More</in></not></or></and> | Organize search results by: Sort by: Relevance In: Descending order List 15 Results per page |
| | | |

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help. | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

ieee nowe | Search Iere | Snop | Wer account | Comiact Hee

| | | ark Office |
|-----------------------|----------|---|
| Careers/Jobs | Welcoina | United States Patent and Trademark Office |
| s Canterences C | | inited States Pa |
| Standards | | |
| Publications/Services | | |
| Membership | n | |

IEEE Xplore[®] 1 Million Obsuments 1 Million Oters

» Search Results

| ě | |
|----------|-----|
| IEEE Pee | |
| lerms | 200 |
| E S | |
| dla | |

Quick Links

er Review

Your search matched 0 of 1097671 documents.

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

(average<paragraph>median<paragraph>mean<paragi

C Journals & Magazines

. 2

Access?

Ching-out

C. What Can

> Home

Ch Conforence Proceedings

> Standards

Search

Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

V- By Author

≯ gasie

> Advanced

> CrossRef

Results: No documents matched your query.

- V John REEE
- Y Establish IEEE Web Account
- O Access the life Member Digital Library

Print Formar

Hame | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Standards | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Enail Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Stack Religions | Help | FAQ| Terms | Help | He

Copyright © 2004 IEEE — All rights reserved

1 Million Borumen

SEEE Xplore® f Million Users

Advanced Search

HEER HOWE | SEARCH HEER | SHOP | WER ACCOUNT | CONTACT HEE

F IEEE Standards Search Options: ✓ IEEE Journals TEE Journals From year: All Welcome United States Patent and Trademark Office Help Enter a single keyword, phrase, or Boolean expression.
 Example: acoustic imaging (means the phrase acoustic imaging Limit your search by using search operators and field codes, Try our New Full-text Search Prototype Co Note: This function returns plural and suffixed forms of the (average<paragraph>power<paragraverage</pre> (qpsk<paragraph>constellation) 涨 Example: optical <and> (fiber <or> fibre) <in> ti Search operators: <and> <or> <not> <in> More 3) Limit the results by selecting Search Options. Canterences raph>mean<paragraph>median) 4) Click Search. See Search Examples **Quick Links** Clear Publications/Services Standards plus any stem variations) Start Search FAQ Terms IEEE Peer Review keyword(s) if desired. <and> the second of the second P Establish IEEE C Journals & Magazines Web Account Proceedings O Conference 9 Ch Standards > Advanced C What Can Access? > CrassRef Membership O tog-out P Braic C Home 111 Help

Present I IEEE Conference proceedings I IEE Conference proceedings Organize search results by: List 15 Results per page In: Descending order Select publication types: Select years to search: Sort by: Relevance

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) $\overline{\text{More}}$

O Access the IEEE Member

Digital Library

Advanced Search

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Sasic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Eeedback | Isothnical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQI Terms | Back to 150

Copyright © 2004 IEEE — All rights reserved

11/24/04

HEER HOWE | SEARCH HEER | SHOP | WER ACCOUNT | CONTACT HEER

| s Careers | Weicoina |
|----------------------|----------|
| Canferences | |
| Standards | |
| uthications/Services | |
| embership P | |

areers/ Jobs

SEE Xplore

FAQ Terms IEEE Peer Review 100

Quick Links

United States Patent and Trademark Office

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in

Your search matched 0 of 1097671 documents.

| 1 Million Document | 1 Million Users | | » Search Results |
|--------------------|-----------------|--|------------------|
| | | | |

Character Can 1 Access? C-Home

You may refine your search by editing the current search expression or entering a Refine This Search: Descending order. C-trag-out

C Journals & Magazines

new one in the text box.

(qpsk<paragraph>constellation)<and>(average<paragr

Check to search within this result set

Proceedings O Conference > Standards

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

→ Advanced Chest Author > CrossRef **₩883**

Results: No documents matched your query.

C Access the left Member

Digital Library

Y Establish IEEE Web Account

Print Format

治如形。| Log-out | Journals | Conference Proceedings | Standards | Search by Author | 認為的意思的 | Actornized Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Ecedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back in 198

Copyright © 2004 IEEE — All rights reserved